FSM1000-6P-PM

10.4" IP66 WATERPROOF STAINLESS STEEL MONITOR

FEATURES

- 10.4" TFT LCD Monitor with Resolution up to 800 x 600
- IP66/NEMA4X Waterproof, Stainless Steel Housing
- P-CAP Touch Screen
- 1000nits High Brightness for Sunlight Readable (Option)
- Wide Temperature Support -30 to 60°C (Option)



SPECIFICATION		
Display	Size / Panel Type	10.4" TFT LCD Panel
	Resolution	800 x 600
	Brightness	230 cd/m² (Option : 1000 cd/m²)
	Contrast Ratio	500:1
	Response Time	35 ms
	Backlight	LED Backlight Unit
	Colors	16.2M Colors
	Viewing Angle	160° / 130°
Touch Screen	Touch Screen Type	P-CAP Touch Screen
	Hardness	7H
Environment	Operating Temperature	0°~+50°C
	Storage Temperature	-20°~+60°C
	Humidity	5%~90% RH (Non-Condensing)
	Waterproof Rating	IP66/NEMA4X , 6 Side Waterproof
System	OSD	Menu , Auto , On/Off , Up , Down
	I/O Interface	VGA x 1, DVI x ,1 USB x 1 (for Touch),
		Power Input x 1
	Power Input	12VDC Input w/AC100~240V Power Adapter
	Power Consumption	10W
	Compliance	FCC/CE/RoHS Compliance
	Mounting	Panel Mount / VESA 75 x 75 mm
	Dimension / Weight	310mm (W) x 266mm (H) x 52.4mm (D) / 4kgs

Specifications subject to change without notice

ACCESSORIES

- VGA Cable x 1
- DVI Cable x 1
- USB Cable x 1
- AC/DC Power Adapter x 1

